

CESAREAN MYOMECTOMY : NO MORE A CONTROVERSY





DR. DIPAK A. DESAI.

Consulting Obstetrician & Gynaecologist
VIRAR MATERNITY & NURSING HOME,
Virar (West), M.S. (INDIA)= 401303.

Email: drdipakdesai1953@yahoo.co.in

Cell: +919730015720



DIFFERENT SCHOOLS OF THOUGHTS



CESAREAN MYOMECTOMY



The
Big ?
Question

OBJECTIONS

- IMPROPER HAEMOSTASIS
- ASYMPTOMATIC FIBROIDS
- MEDICOLEGAL ISSUES

OBJECTIONS

- IMPROPER HAEMOSTASIS







Haemostasis


- ✘ Sir Victor Bonney
The pioneer of
myomectomy.



HISTORY



- ✘ Nature's mechanism of controlling bleeding from postpartum uterus



MINIMIZE BLOOD LOSS

- Oxytocin, Methyl ergometrine, Prostaglandin
- Electrocautery
- Tourniquet
- Uterine artery ligation (UAL)
- Proper technique of suturing

- ASYMPTOMATIC FIBROIDS




Often
UTERINE FIBROIDS don't cause any
SYMPTOMS BUT WHEN
THEY DO,
IT CAN BE AWFUL.

None of us need that.







- MEDICOLEGAL ISSUES

Medicolegal



PREREQUISITES FOR CESAREAN MYOMECTOMY

- An experienced person or under supervision of an experienced person
- A well equipped hospital
- Sufficient grouped and cross matched blood should be available
- Full consent and counselling of patient
- Proper patient selection
- Use of techniques which minimize blood loss like high dose oxytocin, electrocautery, tourniquet, UAL
- It is important that baby must be delivered first prior to myomectomy in case of upper segment myomas